

FORM PTO-1449
(Modified)

 MAY 27 1999
 PRELIMINARY
 TRADEMARK OFFICE

 U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: CASE-03330

Serial No.: 09/103,846

 INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(See Instructions If Necessary)
Applicant: Richard P. Woychik *et al.*

Filing Date: 06/24/98

Group Art Unit: ~~1643~~ 1632

(37 CFR § 1.98(b))

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Filing Date
JDM	1	4,683,195	7/28/87	Mullis <i>et al.</i>	435	6	2/7/86
JDM	2	4,683,202	7/28/87	Mullis	435	91	10/25/85
JDM	3	4,965,188	10/23/90	Mullis <i>et al.</i>	435	6	6/17/87

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

JDM	4	Russell <i>et al.</i> (1979) "Specific-locus test shows ethylnitrosourea to be the most potent mutagen in the mouse," Proc. Natl. Acad. Sci. USA 76:5818-5819					
	5	Hitotsumachi <i>et al.</i> (1985) "Dose-repetition increases the mutagenic effectiveness of <i>N</i> -ethyl- <i>N</i> -nitrosourea in mouse spermatogonia," Proc. Natl. Acad. Sci. USA 82:6619-6621					
	6	Shedlovsky <i>et al.</i> (1993) "Mouse Models of Human Pheynlketonuria," Genetics 134:1205-1210					
	7	Marker <i>et al.</i> (1997) "Spectrum of <i>Bmp5</i> Mutations From Germline Mutagenesis Experiments in Mice," Genetics 145:435-443					
	8	Zambrowicz <i>et al.</i> (1998) "Disruption and sequence identification of 2,000 genes in mouse embryonic stem cells," Nature 392:608-611					
	9	Maniatis <i>et al.</i> (1987) "Regulation of Inducible and Tissue-Specific Gene Expression," Science 236:1237-1245					
	10	Voss <i>et al.</i> (1986) "The role of enhancers in the regulation of cell-type-specific transcriptional control," Trends Biochem. Sci. 11:287-289					
	11	Dijkema <i>et al.</i> (1985) "Cloning and expression of the chromosomal immune interferon gene of the rat," EMBO J. 4:761-767					
	12	Uetsuki <i>et al.</i> (1989) "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1 α *," J. Biol. Chem. 264:5791-5798					
	13	Kim <i>et al.</i> (1990) "Use of the human elongation factor 1 α promoter as a versatile and efficient expression system," Gene 91:217-223					
	14	Mizushima and Nagata (1990) "pEF-BOS, a powerful mammalian expression vector," Nuc. Acids. Res. 18:5322					
	15	Gorman <i>et al.</i> (1982) "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," Proc. Natl. Acad. Sci. USA 79:6777-6781					
	16	Boshart <i>et al.</i> (1985) "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530					
	17	Kohler <i>et al.</i> (1993) "Spectrum of Mutation and Frequency of Allelic Deletion of the p53 Gene in Ovarian Cancer," J. Natl. Cancer Inst. 85(18):1513-1519					
	18	Greenman <i>et al.</i> (1998) "Identification of Missense and Truncating Mutations in the <i>BRCA1</i> Gene in Sporadic and Familial Breast and Ovarian Cancer," Genes, Chromosomes & Cancer 21(3):244-249					
	19	Zielenski and Tsui (1995) "Cystic Fibrosis: Genotypic and Phenotypic Variations," Ann. Rev. Genetics 29:777-807					
	20	Dean and Santis (1994) "Heterogeneity in the severity of cystic fibrosis and the role of CFTR gene mutations," Hum. Genet. 93(4):364-368					
	21	Sessa <i>et al.</i> (1997) "Autosomal dominant polycystic kidney disease: clinical and genetic aspects," J. Nephrol. 10(6):295-310					
	22	Watnick <i>et al.</i> (1997) "An unusual pattern of mutation in the duplicated portion of <i>PKD1</i> is revealed by use of a novel strategy for mutation detection," Human Molec. Genetics 6:1473-1481					
	23	Veldhuisen <i>et al.</i> (1997) "A Spectrum of Mutations in the Second Gene for Autosomal Dominant Polycystic Kidney Disease (PKD2)," Am. J. Hum. Genet. 61:547-555					
	24	Schulte-Merker <i>et al.</i> (1992) "The protein product of the zebrafish homologue of the mouse <i>T</i> gene is expressed in nuclei of the germ ring and the notochord of the early embryo," Development 116:1021-1032					
	25	Hermann <i>et al.</i> (1990) "Cloning of the <i>T</i> gene required in mesoderm formation in the mouse," Nature 343:617-622					

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: CASE-03330

Serial No.: 09/103,846

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Separate Sheets if Necessary)Applicant: Richard P. Woychik *et al.*

Filing Date: 06/24/98

Group Art Unit: ~~1643~~ 1632

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

JDM	26	Smith <i>et al.</i> (1990) "Expression of a <i>Xenopus</i> Homolog of <i>Brachyury (T)</i> Is an Immediate-Early Response to Mesoderm Induction," Cell 67:79-87
	27	Blum <i>et al.</i> (1992) "Gastrulation in the Mouse: The Role of the Homeobox Gene <i>gooseoid</i> ," Cell 69:1097-1106
	28	Izpisua-Belmonte <i>et al.</i> (1993) "The Homeobox Gene <i>gooseoid</i> and the Origin of Organizer Cells in the Early Chick Blastoderm," Cell 76:645-659
	29	Blumberg <i>et al.</i> (1991) "Organizer-Specific Homeobox Genes in <i>Xenopus laevis</i> Embryos," Science 253:194-196
	30	Stachel <i>et al.</i> (1993) "Lithium perturbation and <i>gooseoid</i> expression identify a dorsal specification pathway in the pregastrula zebrafish," Development 117:1261-1274
	31	Evans <i>et al.</i> (1981) "Establishment in culture of pluripotent cells from mouse embryos," Nature 292:154-156
	32	Martin (1981) "Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells," Proc. Natl. Acad. Sci. USA 78:7634-7638
	33	Magnuson <i>et al.</i> (1982) "The development of monosomy 19 mouse embryos," J. Embryo. Exp. Morph. 69:223-236
	34	Doetschman <i>et al.</i> (1988) "Establishment of Hamster Blastocyst-Derived Embryonic Stem (ES)-Cells," Dev. Biol. 127:224-227
	35	Tokunaga <i>et al.</i> (1989) "Establishment of the Mouse Embryonic Stem Cell Lines from Whole Blastocysts and Isolated Inner Cell Masses," Jpn. J. Anim. Reprod. 35:173-178
	36	Eistetter (1989) "Pluripotent Embryonic Stem Cell Lines Can Be Established from Disaggregated Mouse Morulae," Dev. Gro. Differ. 31:275-282
	37	Matsui <i>et al.</i> (1992) "Derivation of Pluripotent Embryonic Stem Cells from Murine Primordial Germ Cells in Culture," Cell 70:841-847
	38	Resnick <i>et al.</i> (1992) "Long-term proliferation of mouse primordial germ cells in culture," Nature 359:550-551
	39	Doetschman <i>et al.</i> (1985) "The <i>in vitro</i> development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium," J. Embryol. Exp. Morphol. 87:27-45
	40	Lallemand <i>et al.</i> (1990) "An <i>in situ</i> assessment of the routes and extents of colonisation of the mouse embryo by embryonic stem cells and their descendants," Development 110:1241-1248
	41	Bradley <i>et al.</i> (1984) "Formation of germ-line chimaeras from embryo-derived teratocarcinoma cell lines," Nature 309:255-256
	42	Gossler <i>et al.</i> (1986) "Transgenesis by means of blastocyst-derived embryonic stem cell lines," Proc. Natl. Acad. Sci. USA 83:9065-9069
	43	Robertson <i>et al.</i> (1986) "Germ-line transmission of genes introduced into cultured pluripotent cells by retroviral vector," Nature 323:445-448
	44	Beddington <i>et al.</i> (1989) "An assessment of the developmental potential of embryonic stem cells in the midgestation mouse embryo," Development 105:733-737
	45	Suemori <i>et al.</i> (1990) "A mouse embryonic stem cell line showing pluripotency of differentiation in early embryos and ubiquitous β -galactosidase expression," Cell Differ. Dev. 29:181-186
	46	Strojek <i>et al.</i> (1990) "A Method for Cultivating Morphologically Undifferentiated Embryonic Stem Cells from Porcine Blastocysts," Theriogenology 33:901-914
	47	Piedrahita <i>et al.</i> (1990) "On the Isolation of Embryonic Stem Cells: Comparative Behavior of Murine, Porcine and Ovine Embros," Theriogenology 34:879-901
	48	Notarianni <i>et al.</i> (1991) "Derivation of pluripotent, embryonic cell lines from the pig and sheep," J. Reprod. Fert. (Suppl.) 43:255-260
	49	Saito <i>et al.</i> (1992) "Bovine embryonic stem cell-like cell lines cultured over several passages," Roux's Arch. Dev. Biol. 201:134-141
✓	50	Stice <i>et al.</i> (1996) "Pluripotent Bovine Embryonic Cell Lines Direct Embryonic Development Following Nuclear Transfer," Biol. Reprod. 54:100-110

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449
(Modified)U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket No.: CASE-03330

Serial No.: 09/103,846

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)Applicant: Richard P. Woychik *et al.*

Filing Date: 06/24/98

Group Art Unit: 1643

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

51	Sukoyan <i>et al.</i> (1992) "Isolation and Cultivation of Blastocyst-Derived Stem Cell Lines from American Mink (<i>Mustela vison</i>) Mol. Reprod. Dev. 33:418-431
52	Brenin <i>et al.</i> (1997) "Rat Embryonic Stem Cells: A Progress Report" Transplant Proc. 29:1761-1765
53	Iannaccone <i>et al.</i> (1994) "Pluripotent Embryonic Stem Cells from the Rat Are Capable of Producing Chimeras," Dev. Biol. 163:288-292
54	Sun <i>et al.</i> (1995) "ES-like cell cultures derived from early zebrafish embryos," Mol. Mar. Biol. Biotechnol. 4:193-199
55	Evans (1989) "Potential for Genetic Manipulation of Mammals," Mol. Bio. Med. 6:557-565
56	Johnson <i>et al.</i> (1989) "Genetic Correction of Hereditary Disease," Fetal Ther. 4 (Suppl.) 1:28-39
57	Babinet <i>et al.</i> (1989) "Transgenic Mice," Genome 31:938-949
58	Russell <i>et al.</i> (1990) "Factors affecting the nature of induced mutations," in <i>Biology of Mammalian Germ Cell Mutagenesis</i> , Banbury Report 34, Cold Spring Harbor Laboratory Press, pp. 271-289
59	Rinchik (1991) "Chemical mutagenesis and fine-structure functional analysis of the mouse genome," Trends in Genetics 7(1):15-21
60	Sehlmeyer and Wobus (1994) "Lower mutation frequencies are induced by ENU in undifferentiated embryonic cells than in differentiated cells of the mouse in vitro," Mutation Research 324:69-76
61	Shibuya and Morimoto (1993) "A review of the genotoxicity of 1-ethyl-1-nitrosourea," Mutation Res. 297:3-38
62	Justice <i>et al.</i> (1988) "Three ENU-induced alleles of the murine quaking locus are recessive embryonic lethal mutations," Genet. Res. 51:95-102
63	Vitaterna <i>et al.</i> (1994) "Mutagenesis and Mapping of a Mouse Gene, <i>Clock</i> , Essential for Circadian Behavior," Science 264:719-725
64	Hammer <i>et al.</i> (1986) "Genetic Engineering of Mammalian Embryos," J. Animal Sci.:63:269-278
65	Hammer <i>et al.</i> (1985) "Production of transgenic rabbits, sheep and pigs by microinjection," Nature 315:680-683
66	Bradley <i>et al.</i> (1987) in <i>Teratocarcinomas and Embryonic Stem Cells: A Practical Approach</i> , Ed. Robertson E.J. (IRL, Oxford, U.K.), pp. 113-151
67	Nagy <i>et al.</i> (1990) "Embryonic stem cells alone are able to support fetal development in the mouse," Development 110:815-821
68	Miki <i>et al.</i> (1994) "A Strong Candidate for the Breast and Ovarian Cancer Susceptibility Gene <i>BRCA1</i> ," Science 266:66-71
69	Friedman <i>et al.</i> (1994) "Confirmation of <i>BRCA1</i> by analysis of germline mutations linked to breast and ovarian cancer in ten families," Nat. Genet. 8:399-404

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.